

FORETRAVEL MOTORCOACH

Forty-five Years In The Making Two Years In Designing Now It's Here





IH-45



IH-45 Features

Professionally Designed Coachwork
Re-engineered Travelride™ Chassis
Re-designed Dash and Driver Controls
Longer Slideroom Capability
Multi-plex Controlled Lighting
Multi-plex Chassis Electrical System
Flat Floors (Including Engine Cover)
Anti-road Noise Floor Construction















IH-45 Specifications

Overall Height (to top of AC) 13'2"
Interior Height 7'3"
Storage Height 2'6 ½"
Entry Width 2'8"
Front Slideroom Height 6'6"
GVWR 52,000 lbs
Wet Weight ±48,000 lbs
Hitch Towing Capacity 18,000 lbs
Hitch Tongue Capacity 2,700 lbs

































POPULAR CUSTOM DESIGNED FLOORPLANS







FORETRAVEL'S EXCLUSIVE TRAVELRIDE CHASSIS



	IH	Phenix	Nimbus
Chassis Features			
ABS anti-lock braking system w/automatic slack adjusters	•	•	•
Air disc brakes on all wheels	•	•	•
Air hose for tire service	•	•	•
Air quick connect in storage bay	•	•	•
Alcoa aluminum wheels w/ Dura-Bright protection	•	•	•
Allison 6 speed transmission MH 3000R			• (36-38)
Allison 6 speed transmission MH 4000R	•	•	• (40-42-45)
Allison transmission retarder	•	•	•
Alternator - 160-amp			• (36-38)
Alternator - 200-amp			• (40-42-45)
Alternator - 320-amp	•	•	
Automatic traction control (ATC)	•	•	•
Auxiliary 12v air compressor	•	•	•
Chassis - TravelRide by Foretravel	•	•	•
all air ride with:			
4 outboard-mounted air bags (drive axle)	•	•	•
2 air bags (IFS front axle)	•	•	•
2 air bags (lifting tag axle)	•	•	•
Engine - Cummins ISL 425 HP			•
Engine - Cummins ISX 500 HP			•
Engine - Cummins ISX 600 HP, - 650 HP	•	•	
Fuel filter/water separator	•	•	•
Fuel system w/air & water purge	•	•	•
Front axle - straight beam			*
Front axle - IFS (independent front suspension)	•	•	•
Front tow retrieval points	•	•	•
HWH - computerized air leveling system	•	•	•
HWH - active air system	•	*	*
Rear axle ratio: 4.30:1	•	•	•
Rear axle ratio: 4.78:1			• (36-38)
Receiver hitch - 18,000 lb. rated	•	•	•
Remote battery jumper terminals	•	•	•
Tag axle, lifting	•	•	• (40-42-45)
Michelin Tires: 295/80R22.5			•
Michelin Tires: 315/80R22.5		•	
Michelin Tires: 365/70R22.5 Front 315/80R22.5 Rear	•		

Exterior Features			
Awning, Girard - electric door	*	*	*
Awning, Girard roof-mounted, electric patio	2	2	1
Awning, Girard shells	•	•	*
Awnings, Girard electric window	*	*	*
Awnings, Zip Dee manual window	*	*	*
Cargo tray, sliding	2	2	1
Carpeted storage bays	•	•	•
Consolidated components bay	•	•	•
Docking lights, (4) with switch in dash & bedroom	•	•	•
Dual halogen headlamps	•	•	•
Dual-pane tinted & insulated windows	•	•	•
Easy view one-piece windshield	•	•	•
Electric dump valves	•	•	•
Electric entry step			•
Electric entry step (Executive)	•	•	
Electric utility reels - water & power	•	•	•
Fiberglass roof & sub floor (one-piece)	•	•	•
Flush kit	•	•	•
Fog lights	•	•	•
Freezer, 100lb in storage bay	*	*	*
Fuel fill - on both sides of coach	•	•	•
Gray water bypass for holding tank	•	•	•
Heated/remote triple head chrome mirrors w/LED turn signals	•	•	•
Lighted entry door w/ assist handle, keypad & doorbell	•	•	•
LP connection	*	*	•
Fresh water plumbing supply manifold	•	•	•
Marker lights, LED	•	•	•







	IH	Phenix	Nimbus
Paint protection below windshield	•	•	•
Painted exterior, full body paint w/ clear coat finish	•	•	•
Parallel storage doors	•	•	•
Porch light	•	•	•
Remote storage door locks	•	•	•
Roof AC drains	•	•	•
Stainless steel lined utility bay	•	•	•
Storage bay lights	•	•	•
Trailer wiring	•	•	•
TV antenna - electric with booster	•	•	•
TV outlet and 12v outlet in storage bay	•	•	•
Utility Station:			
Fresh water connection, phone connection, water fill switch,			
hot & cold water faucet, 120v receptacle & soap dispenser	•	•	•
50 amp shoreline connection, water pump switch, cable TV			
Xenon low beam headlights	•	•	*
Dash & Cockpit Features			
12 volt accessory receptacle	•	•	
Battery boost switch		•	•
Camera, motorized back-up with control at dash	•	•	•
Cameras, mirror mount w/ color back-up monitor		•	•
CB at dash, hand held	•	•	•
Compass & outdoor temperature	•	•	
Co-pilot seat, Villa leather 6 way power w/ footrest	•	•	•
Co-pilot seat, Villa residential 6 way power w/footrest & headrest	•		· ·
Dash AC controls for co-pilot	•	•	
Gauges, backlit analogue		•	•
Generator auto start/stop	•	•	•
GPS/AM/FM/CD in dash (w/ xm sat. radio)			
Monitor, passenger satellite/GPS	·	•	*
Map lights, pilot & copilot			_
MP3 input at dash		•	•
Pedals, throttle & brake power adjust	•	•	•
Pilot seat, Villa leather 6-way power			•
Pilot seat, Knoedler air ride	•	*	*

Appliances • Electronics Lighting • Audio-Video			
Alarm Clock, built in bedroom	•	•	•
Battery charger, solar	*	*	*
Component audio & digital video cables	•	•	•
Cook top, 2-burner electric	•	•	*
Cook top, 2-burner LP w/electronic ignition (recessed)	*	*	•
Home theater speaker system in LR	•	•	•
DVD - Blue-ray™ - high def	•	•	*
DVD Player			•
Interior LED Lighting	•	*	*
Inverter/power monitor panel in living room area	•	•	•
LED Lighting, accent under counters & window trim	•	•	*
Lighting, floor lights	•	•	•
Lighting, Halogen reading lamps in bedroom	•	•	•
Microwave	•	•	•
Refrigerator, 120v electric w/ice & water in door	•	•	*
Refrigerator, Dometic side-by-side 12 cu. ft	★ (14cu ft.)	★ (14cu ft.)	•
Satellite radio, XM, SIRIUS	*	*	*
Satellite system, in motion w/HD receiver			•
Satellite system, in motion w/ HD DVR receiver	•	•	*
Satellite system, 2nd HD receiver	•	•	*

Silverleaf digital glass dash
Silverleaf VMS 440 (eng./trans. monitor)
Steering wheel, power tilt & telescoping
Steering wheel, wood grain Smart Wheel
Transmission gear selector, touch-pad
Windshield / privacy shade & sunblock, electric









	IH	Phenix	Nimbu
Patio Entertainment Center	*	*	*
Stationary Satelite w/ HD receiver Siverleaf Total Coach monitor	*	*	*
Tire Pressure Sensors, Remote	•	•	•
TV antenna - electric with booster	•	•	•
Washer/dryer connections	•	•	•
Interior Livability Features Powered step-well cover with two switch locations	•	•	•
China toilet	•		•
Color-coordinated throw pillows (sofa & bed)	•	•	•
Designer window treatment w/ electric day/night shades	•	•	•
Electric exhaust fan in bath & toilet room w/auto rain sensor	•	•	•
Filter, drinking water & ice maker water	•	•	•
Floor Heat, electric (with approved flooring)	•	*	*
Kitchen pantry Lighting, multiplex system with dimmers	•	•	•
Queen bed (60" x 77") (66" x 77" floorplan dependent)	•	•	•
King bed (72" x 77") (w/wo) Slumber Ease System	*	*	*
Slide-out rooms, flush w/ sidewalls when retracted	•	•	•
Slide-out rooms, pneumatic sealed	•	•	•
Natural Quartz countertops (kitchen & bath)	•	•	•
Natural Quartz desktop (floorplan dependent)	•	•	•
Natural Quartz dinette table Natural Quartz nightstand tops	•	•	•
Stainless steel kitchen sink w/covers	•	•	•
Telephone jack in living area & bedroom	•	•	•
Tile floor (LR,kit, bath, D & P area)	•	•	(40-42)
Vacuum, built in	•	•	•
Washer dryer combination	*	*	*
Washer dryer, stacked	★ (FD)	★ (FD)	★ (FD)
Wood, handcrafted cherry, walnut or maple cabinetry	*	*	•
Wood, Bubinga Wood, African Mahogany	*	*	*
Wood, African Mahogany			*
Wood, African Mahogany Safety Features			*
Wood, African Mahogany	*	*	
Wood, African Mahogany Safety Features All coaches built to RVIA specifications	*	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2)	*	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits	*	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights	*	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle	*	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector	•	*	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe	*	• • • • • • • • • • • • • • • • • • •	•
Wood, African Mahogany Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle	*	• • • • • • • • • • • • • • • • • • •	•
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector	• (w/LP)	• (w/LP)	•
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box	• (w/LP)	• (w/LP)	•
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box	• (w/LP)	• (w/LP)	•
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect	• (w/LP)	• (w/LP)	• (36-38) • (40-42)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• (36-38) • (40-42)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• (36-38) • (40-42) •
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• (36-38) • (40-42)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• (36-38) • (40-42) •
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns Air conditioning, ducted with 2 roof airs	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• (36-38) • (40-42) • •
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns Air conditioning, ducted with 2 roof airs Air-conditioning, ducted with 4 roof airs Air-conditioning, ducted with 4 roof airs	*	• • • • • • • • • • • • • • • • • • •	• (36-38) • (36-38)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns Air conditioning, ducted with 2 roof airs Air conditioning, ducted with 4 roof airs Air-conditioning, ducted with 4 roof airs Auto temp.start for generator	• (40-42)	• (40-42)	• (36-38) • (40-42) • (36-38)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns Air conditioning, ducted with 2 roof airs Air-conditioning, ducted with 4 roof airs Auto temp.start for generator Electrical surge-suppression system	• (40-42)	(40-42) (45)	• (36-38) • (40-42) • (40-42) • (45)
Safety Features All coaches built to RVIA specifications Carbon monoxide detector Daytime running lights Fire extinguishers (2) GFI protected circuits High-mounted additional brake lights Lighted entry-door assist handle LP leak detector Electronic Safe Security system Smoke detector Heating • Cooling • Electrical 10kw diesel generator in quiet box 12.5kw diesel generator in quiet box 12 volt battery disconnect 2800 w inverter/charger Onan Hybrid 12/18 Gen 50 amp shoreline connection Air conditioning & heating with hidden returns Air conditioning, ducted with 2 roof airs Air conditioning, ducted with 4 roof airs Air-conditioning, ducted with 4 roof airs Auto temp.start for generator	• (40-42) • (45)	(40-42) (45)	• (36-38) • (40-42) • (40-42) • (40-42)

















Capacities and Measurements • Warranty				
Capacities and Measurements	IH	Phenix	Nimbus	
Available Lengths	40,42,45	40,42,45	34,36,38, 40 wo/ tag 40,42,45 w/ tag	
Exterior Height (to top of AC)	13'2"	12'3"	12'3"	
Exterior Width	102"	102"	102"	
Fresh Water Capacit	ty 135 gal	135 gal	135 gal - 95 wo/ tag	
Holding Tank(s)	145 gal	145 gal	145 gal	
LP Capcity			17 gal	
Fuel Capacity	200 gal	200 gal	150(120 gal wo/ tag)	
Warranty	IH	Phenix	Nimbus	
Coach	24 / 24000	18 / 24000	15 / 21000	
Structure	5yr / 100000 mi	5yr / 100000 mi		
Engine	5yr / 100000 mi	5yr / 100000 mi	,	
Transmission w/Trans Syn TEX-295	5yr / 200000 mi	5yr / 200000 mi	,	

Special Needs Coach











Hospitality Coach






Mobile Command Center







Custom Handcrafted Quality Since 1967





Phenix





1221 NW Stallings Drive, Nacogdoches, Texas 75964

(800) 955-6226

www.foretravel.com

Foretravel, Inc. reserves the right to change or correct product specifications/pricing at any time without incurring obligations. 12-10